SECOLI F. & DCT | DD/A ROGARDAY | 81-2252/3 |
Approved For Release 2004/05/05 : CIA-RDP84-00996R0004001400 TO-4 | DD/A ROGARDAY

13 November	1981
-------------	------

ODP #152	7_		
STREET, STREET	errer c		
	1	1	ť.

	A CONTRACTOR OF THE CONTRACTOR	Director of Central Intelligence	
	MEMORANDOM FOR:	Deputy Director of Central Intelligence	of the second
	FROM:	Harry E. Fitzwater Deputy Director for Administration	
	SUBJECT:	Weekly Report for Period Ending 13 November 1981	25X
	1. Progr∈	ess reports on tasks assigned by the DCI/DDCI:	•
25X1	None.		
	2. Items,	/Events of major interest:	
	a. Gapproximately each new furni	SA has advised the Office of Logistics (OL) that they have 150,000 requests for furniture back ordered. OL is evaluating ture order as well as orders already placed with GSA to determine justify being directed for commercial procurement.	25X′
25X1	b. T appropriate di	The completed Master Plan, the Environment Assessment, and rawings for the proposed new building at Headquarters were delivered al Capital Planning Commission (NCPC) on 6 November. The formal NCPC is scheduled for 4 January 1982.	25X′
			25X1
	audio counter	At the request of the DDO, the Office of Security provided special measures briefings for the Chief of Technical Services, arity Service on 3 and 4 November. A9b(3)	25X ²
25X1	on 2 and 5 No	New SKYLINK (SC-3) terminals were activated in	23/
	f. was restored	The emergency power capability for the	25X1 25X 25X1
25X1	to	A9c4.1	
			 25X^
	WARNING NOT SOURCES ANN	TICEINTELLIGENCE COMEDIFINISRE BUSIN 2004 (05/05:: CIA RDP84-00933R000400140010-4	

Approved For Release 2004/05/05: CIA-RDP84-00933R000400140010-4

y *** *	Approved For Release 2004/05/05 : CIA-RDP64-009332000400140010-4	
		_
	h. Records Management Division, Office of Information Services, reports that records holdings at Headquarters totaled 166,409 cubic feet at the end of FY-81, a reduction of 19,529 cubic feet compared with FY-80. There were 91,583 cubic feet of records held at the Archives and Records Center at the end of FY-81, an increase of 1,754 cubic feet compared to FY-80 totals.	25X1 25X1
*	i. The Uninterruptible Power System (UPS) at Headquarters rode through a 12 percent voltage drop on 6 November; the only computer system affected was SAFE whose UPS is in the process of installation by	25X1
25X1	j. Preparations for the move of the Office of SIGINT Operations, DDS&T, to the are progressing rapidly. Carpentry and electrical work should be finished within the next few days. The remaining work, telephone installations, painting, and carpeting, should be completed by the end of November.	
25X1	installations, painting, and carpeting, should be completed by the old of novembers	
25X1	k. The seven-week Soviet Realities Course ended on 5 November with Chairman of the Interagency Defector Committee, conducting the concluding ceremony at Headquarters. Eight students attended the course, one from CIA and the rest from other agencies of the Intelligence Community. Most of the lectures and discussions were conducted in Russian.	25X1
	3. Significant events anticipated during the coming week:	25X1
	a. On 13 November, Skidmore, Owings & Merrill and the Building Planning Staff are to present the Master Plan briefing to a GSA regional review panel.	
25X1	b. The test of the emergency power system at Headquarters, which was originally planned to take place on 8 November, has been rescheduled for 15 November.	er.
		er 25X1 <u>25</u> X1
25X1		
EO/DDA	(3 November 1981)	
Distribu Origin	Harry E. Fitzwater 1 - DDCI 1 - ER	25X1
	2 - DDA 1 - Each DDA OD 1 - SSA/DDA 1 - IHSA	
	1 - INSA 1 - CMO 1 - MS	
	1 - DDA/EEO 1 - EO/DDA Approved For Release 2004/05/05 CIA-RDP84-00933R000400140010-4	
	1 - HEF 1 - HEF Chrono	